

Safety Data Sheet

Silver Solder Flux Powder

according to 1907/2006/EC, Article 31

Part No: 7524



Date: 08/10/2015

Page No: 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
 - Trade name: **Super 6 Silver Solder Flux Powder**
 - Article number: **7524**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
 - Product category **PC38** Welding and soldering products (with flux coatings or flux cores.), flux products
 - Application of the substance / the mixture **Brazing flux**
- **1.3 Details of the supplier of the safety data sheet**
 - **Manufacturer/Supplier:**
Specialised Welding Products Ltd
Unit 1, Farringdon Industrial Centre
Farringdon, Nr Alton, Hants GU34 3DD
Tel: +44 (0)1420 588180
Fax: +44 (0)1420 588184
www.specialisedwelding.co.uk
 - Information department: Email: sales@swp.uk.net
 - **1.4 Emergency telephone number:** +44 (0)1420 588180 (office hours only)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
 - Classification according to Regulation (EC) No 1272/2008



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- **2.2 Label elements**
 - Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the CLP regulation.
 - Hazard pictograms **GHS07**
 - Signal word **Warning**
 - Hazard-determining components of labelling:
potassium difluorodihydroxyborate(1-)
 - Hazard statements
H302 Harmful if swallowed.
 - Precautionary statements
 - P264 Wash thoroughly after handling.
 - P270 Do not eat, drink or smoke when using this product.
 - P301+P312 **IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.**
 - P330 Rinse mouth.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards** No further relevant information available.
- Results of **PBT** and **vPvB** assessment
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
 - Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 85392-66-1 EINECS: 286-925-2	<i>potassium difluorodihydroxyborate(1-)</i> ⚠ Acute Tox. 4, H302	50-100%
CAS: 12045-78-2 EINECS: 215-575-5 Reg.nr.: 01-2119970730-37-xxxx	<i>potassium tetraborate</i> ⚠ Repr. 2, H361d	2.5-<6.8%



Specialised Welding Products Ltd

Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK
tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airsales@swp.uk.net

GB

www.specialisedwelding.co.uk

Safety Data Sheet

Silver Solder Flux Powder

according to 1907/2006/EC, Article 31

Part No: 7524



Date: 08/10/2015

Page No: 2 of 6

· **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation** Supply fresh air; consult doctor in case of complaints.

· **After skin contact** Generally the product does not irritate the skin.

· **After eye contact** Rinse opened eye for several minutes under running water.

· **After swallowing** Do NOT induce vomiting, do NOT drink, seek medical advice

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** Hydrogen fluoride (HF)

· **5.3 Advice for firefighters**

· **Protective equipment:** Mount respiratory protective device.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.

· **Information about protection against explosions and fires:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· Storage

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Advised preservation period under normal storage conditions: 6 months.

· **Storage class**

· **Class according to regulation on flammable liquids:** Void

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

GB



Specialised Welding Products Ltd

Head Office Unit 1, Farrington Industrial Centre, Farrington, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0GZ, UK
tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airtel@swp.uk.net

www.specialisedwelding.co.uk

Safety Data Sheet

Silver Solder Flux Powder

according to 1907/2006/EC, Article 31

Part No: 7524



Date: 08/10/2015

Page No: 3 of 6

· 8.1 Control parameters

· **Components with limit values that require monitoring at the workplace:**

14075-53-7 potassium tetrafluoroborate

WEL Long-term value: 2.5 mg/m³
as F

· **Additional information:** The lists that were valid during the creation were used as basis.

· 8.2 Exposure controls

· **Personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not necessary if room is well-ventilated.

· **Protection of hands:**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to a lack of tests, no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Glove material**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact penetration time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Not required.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· **General Information**

· **Appearance:**

Form: Powder

Colour: White

· **Odour:** Odourless

· **Odour threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: undetermined

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not determined.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Self igniting:** Product is not self igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

GB



Specialised Welding Products Ltd

Head Office Unit 1, Farrington Industrial Centre, Farrington, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0GZ, UK
tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airtel@swp.uk.net

www.specialisedwelding.co.uk

Safety Data Sheet

Silver Solder Flux Powder

according to 1907/2006/EC, Article 31

Part No: 7524



Date: 08/10/2015

Page No: 4 of 6

Upper:	<i>Not determined.</i>
· Vapour pressure:	<i>Not applicable.</i>
· Density:	<i>Not determined</i>
· Relative density	<i>Not determined.</i>
· Vapour density	<i>Not applicable.</i>
· Evaporation rate	<i>Not applicable.</i>
· Solubility in / Miscibility with Water:	<i>Slightly soluble</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity:	
dynamic:	<i>Not applicable.</i>
kinematic:	<i>Not applicable.</i>
Organic solvents:	<i>0.0 %</i>
Solids content:	<i>100.0 %</i>
· 9.2 Other information	<i>No further relevant information available.</i>

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **10.3 Possibility of hazardous reactions** *No dangerous reactions known*
- **10.4 Conditions to avoid** *No further relevant information available.*
- **10.5 Incompatible materials:** *No further relevant information available.*
- **10.6 Hazardous decomposition products:** *Hydrogen fluoride*

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** *No irritant effect.*
- **Serious eye damage/irritation** *No irritating effect.*
- **Respiratory or skin sensitisation** *No sensitising effects known.*
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **12.2 Persistence and degradability** *No further relevant information available.*
- **12.3 Bioaccumulative potential** *No further relevant information available.*
- **12.4 Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*

GB



Specialised Welding Products Ltd

Head Office Unit 1, Farrington Industrial Centre, Farrington, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK
tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airtel@swp.uk.net

www.specialisedwelding.co.uk

Safety Data Sheet

Silver Solder Flux Powder

according to 1907/2006/EC, Article 31

Part No: 7524



Date: 08/10/2015

Page No: 5 of 6

- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**
Must apply in all cases all local, regional and national laws and European directives. The end user must determine the specific code of waste for each industry using the appropriate European Code European Waste Catalogue. It is recommended that all details are specified by the responsible waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- | | |
|---|-----------------|
| · 14.1 UN-Number
· ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name
· ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es)
· ADR, ADN, IMDG, IATA
· Class | Void |
| · 14.4 Packing group
· ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Classification according to VbF:** Void
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Customs Combined Nomenclature :** 38.10.90.90.00
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB



Specialised Welding Products Ltd

Head Office Unit 1, Farrington Industrial Centre, Farrington, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK
tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airtel@swp.uk.net

www.specialisedwelding.co.uk

Safety Data Sheet

Silver Solder Flux Powder

according to 1907/2006/EC, Article 31

Part No: 7524



Date: 08/10/2015

Page No: 6 of 6

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

· **Abbreviations and acronyms:**

Acute Tox. 4: Acute toxicity, Hazard Category 4

Repr. 2: Reproductive toxicity, Hazard Category 2

GB



Specialised Welding Products Ltd

Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK
tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK
tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airtales@swp.uk.net

www.specialisedwelding.co.uk