Safety Data Sheet

Water Based Antispatter 25 litres

according to 1907/2006/EC, Article 31

Part No: 1366 Page No: 1 of 3

Date: 22/11/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Product name	WATER BASED ANTISPATTER			
1.3. Details of the supplier of the safety data sheet				
Company	Specialised Welding Products Ltd			
Address	Unit 1			
	Farringdon Industrial Centre			
	Farringdon, Nr Alton			
	Hants GU34 3DD			
Web	www.specialisedwelding.co.uk			
Telephone	+44 (0)1420 588180			
Fax	+44 (0)1420 588184			
Email	sales@swp.uk.net			
Email address of the	sales@swp.uk.net			
competent person				
1.4. Emergency telephone number				
Emergency telephone number	+44 (0)1420 588180			
	(office hours only)			
SECTION 2: Hazards identification				
2.1. Classification of the substance or mixture				
Main hazards	No Significant Hazard			

2.2. Label elements

Risk phrases No Significant Hazard

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
RINCINOLEIC ACID POLY		106-17-2	203-369-8		1 - 10%	6 Acute Tox. 4: H302; Acute	
GLYCOL ESTER						Tox. 4: H312; Skin Irrit. 2:	
						H315; Eye Irrit. 2: H319;	
						Acute Tox. 4: H332; STOT	
						SE 3: H335;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.
	•



Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK

tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

www.specialisedwelding.co.uk

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK

Safety Data Sheet

Water Based Antispatter 25 litres

according to 1907/2006/EC, Article 31

Part No: 1366 Page No: 2 of 3

Date: 22/11/2015

4.1. Description of first aid meas	4.1. Description of first aid measures					
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.					
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.					
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.					
SECTION 5: Firefighting mea	SECTION 5: Firefighting measures					
5.1. Extinguishing media						
	Use extinguishing media appropriate to the surrounding fire conditions.					
5.2. Special hazards arising from	n the substance or mixture					
	Burning produces irritating, toxic and obnoxious fumes.					
5.3. Advice for firefighters						
	Wear suitable respiratory equipment when necessary.					
SECTION 6: Accidental relea	SECTION 6: Accidental release measures					
6.1. Personal precautions, prote	ctive equipment and emergency procedures					
	Ensure adequate ventilation of the working area.					
6.2. Environmental precautions						
	Do not allow product to enter drains. Prevent further spillage if safe.					
6.3. Methods and material for co	ntainment and cleaning up					
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.					
SECTION 7: Handling and st	torage					
7.1. Precautions for safe handling						
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.					
7.2. Conditions for safe storage,	7.2. Conditions for safe storage, including any incompatibilities					
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.					
SECTION 8: Exposure contro	ols/personal protection					
8.2. Exposure controls						
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.					
8.2.2. Individual protection measures	Wear protective clothing.					
Eye / face protection	In case of splashing, wear:. Approved safety goggles.					
Skin protection - Handprotection	Chemical resistant gloves (PVC).					



Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK

tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

 ${\color{red} \textbf{Northern Depot}} \quad \textbf{Building 200, Empress Park, Penny Lane, Haydock WA11 OQZ, UK}$

tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airsales@swp.uk.net

www.specialisedwelding.co.uk

Safety Data Sheet

Water Based Antispatter 25 litres

according to 1907/2006/EC, Article 31

Part No: 1366 Page No: 3 of 3

SECTION 9: Physical and chemical properties					
9.1. Information on basic physical and chemical properties					
•	8-9.5				
Relative density 1.01-1.05					
SECTION 10: Stability and re	eactivity				
10.2. Chemical stability					
	Stable under normal conditions.				
SECTION 11: Toxicological i	nformation				
11.1.4. Toxicological Information					
	No data is available on this product.				
SECTION 12: Ecological info	rmation				
12.1. Toxicity					
	No data is available on this product.				
SECTION 13: Disposal cons	iderations				
General information					
	Dispose of in compliance with all local and national regulations.				
Disposal methods					
	Contact a licensed waste disposal company. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.				
Disposal of packaging					
	Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.				
SECTION 14: Transport info	rmation				
Further information					
	The product is not classified as dangerous for carriage.				
SECTION 15: Regulatory infe	ormation				
Further information					
	The product is classified as non hazardous.				
SECTION 16: Other information					
Other information					
Text of Hazard Statements in Section 3	Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H335 - May cause respiratory irritation.				
Further information					
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.				



Head Office Unit 1, Farringdon Industrial Centre, Farringdon, Nr Alton, Hampshire GU34 3DD, UK

tel: +44 (0)1420 588180 • fax: +44 (0)1420 588184 • email: sales@swp.uk.net

Northern Depot Building 200, Empress Park, Penny Lane, Haydock WA11 0QZ, UK

tel: +44 (0)1942 719930 • fax: +44 (0)1942 729937 • email: airsales@swp.uk.net

Date: 22/11/2015